

REVIEW

## Climate change vulnerability, adaptation and ecosystem services in different fisheries and aquaculture in Asia: a review

AHASAN HABIB<sup>1</sup>, ELAINE Q. BORAZON<sup>2</sup>, IVY M. NALLOS<sup>3</sup> and EDISON D. MACUSI<sup>3, \*</sup>

<sup>1</sup>Faculty of Fisheries and Food Science, Universiti Malaysia Terengganu, Kuala Nerus, Terengganu 21030, Malaysia.

<sup>2</sup>International Graduate Program of Education and Human Development (IGPEHD), College of Social Sciences, National Sun Yat-sen University, Kaohsiung 804, Taiwan. <sup>3</sup>Faculty of Agriculture and Life Sciences (FALS), Davao Oriental State University (DOrSU), 8200 - Mati City, Davao Oriental, Philippines. ORCID *Ahasan Habib*  <https://orcid.org/0000-0003-1702-6111>, *Ivy M. Nallos*  <https://orcid.org/0000-0003-3752-4847>, *Edison D. Macusi*  <https://orcid.org/0000-0002-9714-1074>



**ABSTRACT.** This review aimed to discuss the vulnerability and climate change impacts on tropical fisheries in Asia using a systematic literature review. The study applied the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) to evaluate literature from 1990-2020. The results showed clustering of texts, keywords, and titles based on search terms like climate change, fisheries, and adaptation. High-scoring links revealed clusters: 1) climate change and food security, 2) biodiversity and environment protection, 3) conservation of resource, 4) climate change impacts in Asia, 5) fisheries. Abstracts and titles produced clusters on: 1) livelihood and food security, 2) fisheries catch, 3) stakeholder approaches, 4) Ecosystem services. While climate change dominated vulnerability and adaptation studies, it is only one of many stressors affecting fisheries and aquaculture. Adaptation is suggested as a solution for reducing vulnerability and increasing resilience in fishing communities. However, our findings indicate that the social and economic factors contributing to climate-induced vulnerability are still relatively neglected. Enhancing biodiversity and environmental protection can lead to a more productive and food-secure environment for farmers and fishers. It is crucial that interventions focus on adaptation and establishing science-based 'adaptive fisheries co-management' to engage fishing communities and address their broader vulnerabilities and aspirations.

**Key words:** Systematic literature review, PRISMA, fisheries management, food security.



\*Correspondence:  
edison.macusi@dorsu.edu.ph

Received: 10 June 2024  
Accepted: 21 October 2024

ISSN 2683-7595 (print)  
ISSN 2683-7951 (online)

<https://ojs.iniddep.edu.ar>

Journal of the Instituto Nacional de  
Investigación y Desarrollo Pesquero  
(INIDEP)



This work is licensed under a Creative  
Commons Attribution-  
NonCommercial-ShareAlike 4.0  
International License

**Vulnerabilidad al cambio climático, adaptación y servicios ecosistémicos en diferentes pesquerías y acuiculturas en Asia: una revisión**

**RESUMEN.** Esta revisión tuvo como objetivo discutir la vulnerabilidad y los impactos del cambio climático en las pesquerías tropicales en Asia mediante una revisión sistemática de la literatura. El estudio aplicó los elementos del Ítems Preferidos para Revisiones Sistemáticas y Metaanálisis (PRISMA) para evaluar la literatura entre 1990 y 2020. Los resultados mostraron agrupaciones de textos, palabras clave y títulos según términos de búsqueda como cambio climático, pesca y adaptación. Los enlaces con puntajes altos revelaron las agrupaciones: 1) cambio climático y seguridad alimentaria, 2) biodiversidad y protección del medio ambiente, 3) conservación de recursos, 4) impactos del cambio climático en Asia, 5) pesca. Los resúmenes y títulos produjeron agrupaciones sobre: 1) medios de vida y seguridad alimentaria, 2) captura pesquera, 3) enfoques de las partes interesadas, 4) servicios ecosistémicos. Si bien el cambio climático dominó los estudios de vulnerabilidad y adaptación, es solo uno de los muchos factores de estrés que afectan a la pesca y la acuicultura. Se sugiere la adaptación como una solución para reducir la vulnerabilidad y aumentar la resiliencia en las comunidades pesqueras. Sin embargo, nuestros hallazgos indican que los factores sociales y económicos

que contribuyen a la vulnerabilidad inducida por el clima aún están relativamente desatendidos. Mejorar la biodiversidad y la protección del medio ambiente puede conducir a un entorno más productivo y con mayor seguridad alimentaria para los agricultores y pescadores. Las intervenciones deben centrarse en la adaptación, y el establecimiento de una “cogestión pesquera adaptativa” basada en la ciencia es crucial para involucrar a las comunidades pesqueras y abordar sus vulnerabilidades y aspiraciones más amplias.

**Palabras clave:** Revisión sistemática de literatura, PRISMA, manejo pesquero, seguridad alimentaria.

---

## INTRODUCTION

---

Fishing is a crucial economic activity contributing significantly to poverty reduction, food security, job creation, and the health of marine ecosystems, aligning with the SDG 2030 agenda (Ojeda-Ruiz et al. 2022). Small-scale fisheries and aquaculture are the primary livelihoods for millions, especially in developing countries (Islam et al. 2020; Chhetri 2021). However, this sector faces substantial risks from climate change, threatening the livelihoods, food security, and economies of coastal communities worldwide (Barange et al. 2018; Hoang et al. 2020). Climate change exacerbates overfishing, habitat degradation, and pollution, reducing future fish catch potential and impacting fish prices, income, and well-being (Macusi et al. 2021a; Nabuurs et al. 2022).

The Intergovernmental Panel on Climate Change (IPCC) highlighted the vulnerability of low-income countries more dependent on fisheries (Grubb et al. 2022). Fish migration patterns are already shifting as marine biodiversity responds to rising sea temperatures and habitat degradation (Pachauri et al. 2014). Understanding the effects of climate change on fisheries and aquaculture is critical, particularly in tropical regions where biodiversity and marine ecosystems are highly sensitive (Worm and Lotze 2021).

Southeast Asia is home to rich biodiversity and many coastal communities reliant on fisheries and aquaculture for livelihoods (Nong 2019). This coastal ecosystems share common vulnerabilities, such as low-lying deltas and dependence on monsoon seasons, which make them particularly

susceptible to climate change (Feist et al. 2021). Across this region, fish populations are projected to decline due to changing ocean temperatures and salinity levels, as well as habitat destruction and overfishing (Macusi et al. 2021b). In the Philippines, impacts of climate change are already evident (Jacinto et al. 2015). Local fish populations, including key species like green bumphead parrotfish, humphead wrasse, African pompano, giant groupers, mangrove snapper, spanish mackerel and anchovies, are expected to decline significantly by the 2050s (Lavides et al. 2016; Macusi et al. 2021b). This would have serious consequences for food security and the livelihood of coastal communities. Similarly, Bangladesh faces heightened risks due to rising sea levels and increasing salinity in the Bay of Bengal, particularly affecting the economically and culturally significant hilsa shad fishery (Mozumder 2020). Fishermen are forced to extend fishing ranges and durations, leading to increased financial and occupational risks while threatening local food security as fish prices rise (Hossain et al. 2023).

In Malaysia, sea level rise (SLR) threatens coastal regions with SLR rates of around 4.22 mm year<sup>-1</sup> (Hamid et al. 2018). Thailand also faces similar challenges, with Krabi province projected to see an increase in sea levels by 21 cm by 2050 (Markphol et al. 2021). Indonesia is particularly vulnerable, with provinces like Banda Aceh at risk of future SLR, which endangers aquaculture and coastal infrastructure (Meilianda et al. 2019). These challenges mirror those faced by India, where the western coast is impacted by both SLR and habitat degradation (Raj et al. 2021). Climate change adaptation plans in regions like Tamil Nadu, which engage local communities, are crucial for mitigat-

ing these effects (Khan et al. 2022). Pakistan and Myanmar also face substantial threats from climate change. Coastal regions of Pakistan, especially Sindh province, experience tropical cyclones and storm surges that exacerbate SLR (Weeks and Harrison 2020). Similarly, coastal areas of Myanmar are vulnerable to floods during monsoon seasons, with southern regions like Tanintharyi and Ayeyarwady severely impacted (Nguyen-Huy et al. 2022).

The Coral Triangle, which includes Indonesia, faces significant ecological and socioeconomic challenges due to coral bleaching and reef degradation (Veron et al. 2011). These events reduce reef fish populations, such as groupers and snappers, directly affecting coastal communities dependent on reef fisheries for income and food security (McClanahan et al. 2015). The declining health of the Coral Triangle's ecosystems not only diminishes protein sources but also undermines the economic stability of these regions (Muringai et al. 2021). Preserving the Coral Triangle is essential for both global marine biodiversity and local livelihoods. Efforts to address coral bleaching, such as enhancing fisheries management practices, are vital to maintaining ecological balance and socioeconomic resilience (Stephenson et al. 2018).

Countries across the region are adopting various strategies to mitigate the impacts of climate change on fisheries and aquaculture. In Vietnam, adaptation efforts include the development of resilient fish and shrimp species, improved water management, and reinforced infrastructure (Joakim et al. 2015). These measures aim to protect seafood production, coastal communities, and food security against the risks posed by climate change (Weatherdon et al. 2016). China is also vulnerable, particularly its aquaculture sector, which suffers from frequent typhoons. To address this, China is strengthening aquaculture infrastructure, expanding species diversity, and improving early warning systems to enhance resilience to extreme weather events (Fang et al. 2017). They are also currently building offshore facilities that are under controlled conditions. Similarly, India is tackling the challenge of

salinity intrusion in coastal aquaculture ponds by promoting saline-tolerant species and enhancing management practices to ensure sustained productivity (Velmurugan et al. 2016).

This paper aimed to explain the vulnerability and impact of climate change on tropical fisheries focused on southeastern Asian countries through a systematic literature review, in order to offer a structured evaluation of the existing knowledge regarding this issue. This approach ensures an objective and thorough analysis of available studies, enabling the identification of significant themes, trends, and gaps in the literature. In particular, we focused on Bangladesh, the Philippines, Indonesia, Malaysia, Vietnam, Thailand, India, Pakistan and Myanmar, as fishery resources and livelihoods of small-scale fisher in these countries are most vulnerable to the impact of climate change.

---

## MATERIALS AND METHODS

---

### Search strategy

In this paper, the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) was carried out for the systematic literature review (Figure 1). This process utilizes four stages, namely identification, screening, eligibility assessment, and inclusion (Moher et al. 2009), and has been utilized in several studies such as climate change (Liu et al. 2021; Macusi et al. 2021a) and aquaculture (Gong et al. 2021; Macusi et al. 2021b, 2022; Suresh et al. 2022). All articles were identified based on the search of terms through the Web of Science and Scopus databases covering the period of 1990-01-01 to 2020-12-31. Web of Science and Scopus were selected for their reliable, good quality control through rigorous peer-reviewed content across disciplines such as environment sciences, fisheries, and climate change, ensuring access to credible sources and citation tracking to identify key studies and trends. The period 1990-




Figure 1. Search process flow from Moher et al. (2009).

2020 captures crucial developments in climate change and fisheries research. These databases also avoid duplication from less rigorous sources and provide advanced search tools for efficient, systematic review and analysis. The combination of phrases and keywords used were ‘climate change AND fisheries AND Asia’, ‘climate change impact AND fisheries AND Asia’, ‘climate change AND adaptation AND fisheries AND Asia’, ‘climate change AND fisheries AND Asia AND aquaculture’, and ‘climate vulnerability AND fisheries AND Asia’. A total of 1,058 records were culled out, and 521 duplicates were then removed. After screening for eligibility, 181 articles were deemed appropriate for the content analysis. Selection criteria included articles written in English, and if the topic relates to climate change, they must be contextualized in Asia. Review articles and book chapters were also excluded from content analysis, so that only original works related to climate change studies were selected. Data extracted were abstract, titles, author’s keywords, index keywords, publication year, volume and issue number.

## Data analysis

A bibliometric analysis was conducted utilizing the VOSviewer (van Eck and Waltman 2010) to analyse the co-occurrences of keywords and indexes, and thematically analyse titles and abstracts of articles. A co-occurrence analysis helped to cluster words based on concordances between words and their number of occurrences (Snilstveit et al. 2012; Bourgeois et al. 2015). The thematic analysis of selected records ( $n = 181$ ) was then followed by a synthesis approach utilising summaries and main content of articles.

---

## RESULTS

---

An upward trend of scientific publications related to climate change in Asia from 1990 to 2020 was detected (Figure 2). The set of publications used have a total of 71 authors and their keywords were extracted, tabulated and then visualized (Table 1).




Figure 2. Scientific publications on climate change vulnerability and impacts across Asia from 1990 to 2020.

The cluster analysis revealed five clusters and words under each cluster (Table 1; Figure 3). Under cluster 1, food security, vulnerability, and management had the highest link strength. For cluster 2, biodiversity, environmental protection, aquaculture, and conservation had the highest total linking strength. Then for cluster 3, natural resources conservation and agriculture were included as words with the highest link strength. Cluster 4 included Asia, climate change, and fishery management as keywords with the highest total linking strength. Lastly, cluster 5 included fisheries, fishery, and ecosystem as keywords with the highest total linking strength. Results revealed that climate change adaptation and food security were central subjects in fisheries research across Asia, as evidenced by the prominence of keywords such as food security, vulnerability, and adaptation in cluster 1.

Moreover, Marine Protected Areas (MPAs) appeared as a significant theme in cluster 2, and represent a key strategy for biodiversity conservation and fisheries management. Results further underscore the importance of ecosystem services, as reflected in the frequent occurrence of terms like ecosystem service and biodiversity in clusters 2 and 5.

Regarding the text data, the most common words used were categorized into four clusters (Table 1; Figure 4). Words with highest occurrences included adaptation, livelihood, catch, distribution, approach, and service. Words with highest total linking strength (Table 2) for cluster 1 included food security, framework, livelihood, sector, sustainability, vulnerability, opportunity, and need. In contrast, cluster 2 included catch, distribution, lake, and variation. Cluster 3 included approach, degradation,

Table 1. Occurrence classification for author and index keywords by links, total link strengths and occurrences.

Clusters	Links	Total link strength	Occurrences
Cluster 1			
Adaptive capacity	14	20	5
Catch	11	18	5
<b>Climate change</b>	<b>41</b>	<b>86</b>	<b>30</b>
Fisheries management	18	26	6
<b>Food security</b>	<b>41</b>	<b>76</b>	<b>13</b>
Hydropower	23	37	6
Impact	28	54	14
<b>Management</b>	<b>34</b>	<b>72</b>	<b>19</b>
Marine	17	22	5
Marine protected areas	14	16	5
Mekong basin	23	36	5
Poverty	24	32	5
Resilience	26	51	12
River basin	24	39	5
Small-scale fisheries	19	34	7
Sustainability	28	35	9
<b>Vulnerability</b>	<b>42</b>	<b>72</b>	<b>13</b>
Cluster 2			
<b>Aquaculture</b>	<b>39</b>	<b>68</b>	<b>15</b>
<b>Biodiversity</b>	<b>55</b>	<b>116</b>	<b>21</b>
Carbon	35	50	5
<b>Conservation</b>	<b>39</b>	<b>68</b>	<b>15</b>
Decision-making	33	50	6
Deforestation	23	27	5
Dynamics	21	25	5
Ecosystem service	21	29	6
Ecosystems	38	59	8
Environmental management	30	47	5
<b>Environmental protection</b>	<b>43</b>	<b>78</b>	<b>8</b>
Remote sensing	25	30	6
Water quality	17	21	6
Wetlands	26	37	5
Cluster 3			
Abundance	16	20	5
<b>Agriculture</b>	<b>38</b>	<b>59</b>	<b>8</b>
Climate change	20	25	6
<b>Conservation of natural resources</b>	<b>43</b>	<b>84</b>	<b>8</b>

Table 1. Continued.

Clusters	Links	Total link strength	Occurrences
Coral reef	30	48	8
Environmental impact	35	49	6
Global warming	26	39	7
Growth	17	23	7
<b>Humans</b>	<b>36</b>	<b>66</b>	<b>6</b>
Salinity	24	36	8
Sea surface temperature	23	36	7
Temperature	31	44	6
Water	27	38	6
Water supply	31	47	6
Cluster 4			
Anthropogenic effect	19	27	6
<b>Asia</b>	<b>58</b>	<b>181</b>	<b>38</b>
Biomass	23	42	9
<b>Climate change</b>	<b>70</b>	<b>377</b>	<b>84</b>
Climate effect	24	56	11
Developing world	17	28	5
Environmental change	20	21	5
<b>Fishery management</b>	<b>40</b>	<b>82</b>	<b>14</b>
Fishery production	17	36	8
Overfishing	20	24	6
South Asia	25	38	5
Stock assessment	23	35	6
Sustainable development	30	44	7
Water resource	12	17	5
Cluster 5			
Adaptation	31	50	8
<b>Ecosystem</b>	<b>54</b>	<b>130</b>	<b>13</b>
Fish	42	92	18
<b>Fisheries</b>	<b>63</b>	<b>210</b>	<b>39</b>
<b>Fishery</b>	<b>49</b>	<b>129</b>	<b>20</b>
Fishes	24	43	6
Fishing	27	42	5
Nonhuman	35	57	5
Physiology	22	38	6
Phytoplankton	17	19	5
Population dynamics	18	33	7
Sea	25	33	6






Figure 4. Co-occurrence network map based on titles and abstracts.

2012; Bennett et al. 2015). Findings revealed that vulnerability to climate change in fisheries is influenced by multiple factors including environmental changes, socio-economic dynamics, and institutional frameworks. Disentangling these complex interactions allows for more targeted investments in reducing vulnerability (Ribot 2013), especially in the context of broader global environmental challenges, which are only one part of the equation (O'Brien et al. 2004; Adger 2006; Brulé et al. 2022).

Despite the fact that numerous studies can make fishing communities more resilient, there is an implicit transfer of responsibility from institutions that cause vulnerability to fishermen. Broader reforms in the political economy of fisheries institutions and policies, alongside social hierarchies

and practices that influence well-being must be considered (Ribot 2013). Additionally, adaptation is often discussed without adequate exploration of its nuances. Vulnerability and adaptation are context-specific, and successful adaptation is linked to enhanced resilience or transformation, whereas a lack of adaptation increases vulnerability (Joakim et al. 2015). These complexities highlight the need for integrated approaches that combine local adaptations with larger structural changes in governance and policy.

### Adaptation to climate change

Adaptation strategies across Asia vary, reflecting different environmental, economic, and social contexts. For example, Indonesia's community-based

Table 2. Occurrence classifications of texts from record abstracts and titles.

Clusters	Links	Total link strength	Occurrences
Cluster 1			
Adaptation	65	14	22
Adaptive capacity	39	62	8
Agriculture	54	93	14
Coastal Community	34	53	7
Complexity	34	46	8
Economy	46	76	11
Employment	34	55	7
Exposure	36	64	11
Fisheries management	38	56	7
Food production	29	40	7
Food security	56	103	17
<b>Framework</b>	<b>56</b>	<b>126</b>	<b>17</b>
Governance	54	97	13
Government	36	50	10
Household	40	61	10
Importance	53	93	15
<b>Livelihood</b>	<b>71</b>	<b>182</b>	<b>24</b>
Migration	42	64	8
<b>Need</b>	<b>64</b>	<b>130</b>	<b>19</b>
Opportunity	56	96	13
Outcome	40	64	8
Policy maker	26	33	5
Poverty	46	69	8
Sea level rise	32	37	5
Sector	57	125	18
Sensitivity	33	50	9
Sustainability	46	72	10
Sustainable development	38	69	8
Vulnerability	47	86	13
Water supply	34	46	7
Cluster 2			
Abundance	39	65	11
Biomass	34	47	11
<b>Catch</b>	<b>64</b>	<b>139</b>	<b>26</b>
Collapse	27	37	7
Combination	41	55	8
Concentration	28	36	8
Decrease	37	54	11

Table 2. Continued.

Clusters	Links	Total link strength	Occurrences
Deforestation	29	35	7
<b>Distribution</b>	<b>63</b>	<b>132</b>	<b>28</b>
Environmental change	34	40	8
Environmental condition	31	39	7
Fish species	33	47	11
Fisheries catch	23	31	5
Human activity	35	63	11
Influence	51	99	17
Lake	55	121	22
Negative impact	20	22	5
Phytoplankton	24	28	6
Reduction	50	76	12
Salinity	33	49	8
Sea surface temperature	42	71	12
Shift	39	61	13
Size	50	76	12
Spatial distribution	17	23	5
Temperature	55	99	20
Variability	49	92	17
Variation	54	120	22
Water temperature	27	52	11
Cluster 3			
Action	56	92	12
<b>Approach</b>	<b>79</b>	<b>248</b>	<b>37</b>
Climate change impact	37	48	9
Coral reef	28	38	6
Degradation	44	72	11
<b>Driver</b>	<b>63</b>	<b>99</b>	<b>13</b>
Energy	41	58	11
Fisher	48	75	11
Fisheries	24	35	7
Global warming	26	29	6
Human	32	40	7
Identification	44	59	6
Marine	53	91	13
Marine ecosystem	46	79	13
Marine resource	39	49	7
Ocean acidification	30	37	5
Overfishing	38	45	6

Table 2. Continued.

Clusters	Links	Total link strength	Occurrences
Resilience	52	86	11
Small scale fishery	29	36	6
<b>Stakeholder</b>	<b>57</b>	<b>101</b>	<b>11</b>
Tourism	35	49	5
Warming	45	59	11
Cluster 4			
<b>Basin</b>	<b>57</b>	<b>109</b>	<b>19</b>
<b>Benefit</b>	<b>48</b>	<b>88</b>	<b>15</b>
Ecology	45	61	10
Global climate change	41	51	7
Hydropower	21	28	5
Hydropower development	20	36	7
Mekong	30	51	7
Mekong Delta	19	24	5
Mekong River	24	39	6
Mitigation	45	65	8
<b>Service</b>	<b>63</b>	<b>129</b>	<b>22</b>

fisheries management fosters local involvement in sustainable practices and regulation enforcement (Glaser et al. 2010). In the meantime, Vietnam prioritizes selective fishing gear and monitoring systems to reduce environmental impacts (Kelly et al. 2012), and the Philippines incorporates ecosystem-based management into its fisheries infrastructure (Santos et al. 2011). These examples, while diverse, share common elements: they emphasize community involvement, technological innovation, and ecosystem preservation as key pillars for adaptation. However, these strategies must also be evaluated in terms of their long-term effectiveness. Are they addressing root vulnerabilities, or are they only mitigating symptoms of deeper systemic issues? The reliance of the Galician shellfish industry on adaptive strategies, such as diversification of income and more selective harvesting (Villasante et al. 2022) illustrates a broader trend in which communities modify their livelihoods in

response to immediate environmental pressures. However, these adaptations can only provide a short-term relief if institutional weaknesses, such as poor governance or lack of knowledge transfer between generations are not addressed. In this regard, adaptation strategies should be seen not just as a response to environmental challenges but as part of a broader, more comprehensive approach that includes social and economic reforms.

### Adaptation to food insecurity

Food security, encompassing availability, access, utilization, and stability, is increasingly under threat due to climate change impacts and anthropogenic pressures (HLPE 2020). These disruptions affect not only agricultural sectors like crops and livestock but also fisheries, which are critical for food security in Asia (Macusi et al. 2023; Pagulayan et al. 2024). Findings of this study align with





(Spaninks and van Beukering 1997). Protecting these services through ecosystem-based adaptations is essential for building resilience to climate change in many Asian countries. Efforts such as mangrove conservation in Indonesia (Narendra et al. 2021) and coral reef protection in the Philippines (White et al. 2005) demonstrate how safeguarding ecosystems can simultaneously enhance community livelihoods and support biodiversity conservation. Nevertheless, the challenge remains to fully understand and value these services. Ecosystem services often have non-material benefits, such as cultural and spiritual well-being, which are difficult to quantify (Chakraborty et al. 2019). Future adaptation efforts should consider these intangible benefits, ensuring that the full spectrum of ecosystem services is recognized and preserved in the face of climate change.

### **Livelihood and fisheries management**

Vulnerabilities faced by fisheries communities due to climate change are shaped by socio-economic and environmental factors. The IPCC (2022) notes that intersecting challenges, including weak governance, inequity, and marginalization, exacerbate these vulnerabilities. In response, co-management, where responsibilities are shared between governments and user groups, has been widely proposed as a more effective model for fisheries management compared to traditional command-and-control approaches (Sen and Nielsen 1996). This model fosters collaboration and encourages sustainable resource use while addressing community needs (Barratt and Allison 2014). However, vulnerability can undermine participatory efforts in fisheries management. Fishers facing immediate risks may discount future benefits, making them less likely to engage in long-term resource stewardship (Kolding et al. 2014). This highlights the need for creating an enabling environment where fishing communities are supported not only in managing resources but also in addressing their broader social and economic challenges.

Findings of this review corroborate those of Ribot (2013) in that anthropogenic processes such as governance, socio-economic dynamics, and institutional weaknesses, are often poorly explored, while physical and natural factors of vulnerability are well-described. The reluctance of some fisheries scientists to engage with multidisciplinary approaches that integrate stronger social and economic components may be contributing to this gap (Kolding et al. 2014). By adopting a more integrative perspective, fisheries management can address both environmental and human vulnerabilities ensuring more sustainable outcomes.

---

## CONCLUSIONS

---

This systematic review provided a direction for further studies on socioeconomic factors affecting vulnerabilities concerning climate change. This could pave the way for better policies to support fisheries management in Asia. Enabling mechanisms for fishing as an economic activity should be anchored on its socio-economic context to better adapt to climate change. Further studies on adaptation and how it is developed in the context of climate change vulnerability should be explored, considering the interaction of other stressors. This might better aid government agencies in crafting better fishery management policies. Many important programs or initiatives from government and non-government organizations can reduce vulnerability and build adaptive capacity in several ways. For example, contributing funding, advocacy and strengthening national policy on adaptation, improving rural infrastructure, providing climate education and diversifying livelihoods. However, assessing the driving factor of climate-related vulnerability and identifying which are amenable is insufficient for a vulnerability reduction strategy. What is needed is long-term stewardship for better compliance and support for fisheries management. Finally, this review revealed that while

many adaptation strategies have been proposed and implemented, there is still a significant need for a deeper understanding of the socioeconomic and political factors shaping vulnerability. Future research should focus on developing more integrated approaches that account for these complexities, ensuring that vulnerability assessments inform not only climate change adaptation strategies but also broader reforms in governance and social equity. This will enable more effective and equitable fishery management policies, ultimately ensuring that both ecosystems and fishing communities can thrive in the face of climate change.

---

#### ACKNOWLEDGEMENTS

---

We thank the anonymous reviewers and editor for handling and improving this article.

#### Author contributions

Ahasan Habib: led the writing of the manuscript and analysed the data, conceptualised the topic; contributed to the critical revision of the article. Elaine Q. Borazon: conceptualised the topic; contributed to the critical revision of the article. Ivy M. Nallos: contributed to the writing and revision of the article; contributed to the critical revision of the article. Edison D. Macusi: conceptualised the topic; contributed to the writing and revision of the article; contributed to the critical revision of the article.

#### Declaration of competing interest

The authors declare that no competing financial interests or personal relationships could have appeared to influence the work reported in this paper.

#### Data availability

Data will be made available on request.

---

#### REFERENCES

---

- ADGER WN. 2006. Vulnerability. *Global Environ Change*. 16 (3): 268-281.
- BARANGE M, BAHRI T, BEVERIDGE MC, COCHRANE KL, FUNGE-SMITH S, POULAIN F. 2018. Impacts of climate change on fisheries and aquaculture: synthesis of current knowledge, adaptation and mitigation options. *FAO Fish Aquaculture Tech Pap*. 627. 628 p.
- BARRATT C, ALLISON EH. 2014. Vulnerable people, vulnerable resources? Exploring the relationship between people's vulnerability and the sustainability of community-managed natural resources. *Develop Stud Res*. 1 (1): 16-27.
- BENNETT NJ, DEARDEN P, PEREDO AM. 2015. Vulnerability to multiple stressors in coastal communities: a study of the Andaman Coast of Thailand. *Clim Dev*. 7 (2): 124-141.
- BOURGEOIS N, COTTRELL M, LAMASSÉ S, OLTEANU M. 2015. Search for meaning through the study of co-occurrences in texts. In: ROJAS I, JOYA G, CATALA A, editors. *Advances in computational Intelligence*. IWANN 2015. Lecture Notes in Computer Science. Part 2. Vol. 9095. Cham: Springer. p. 578-591.
- BRULÉ T, RENÁN X, COLÁS-MARRUFO T. 2022. Potential impact of climate change on fish reproductive phenology: a case study in gonochoric and hermaphrodite commercially important species from the southern Gulf of Mexico. *Fishes*. 7 (4): 156.
- CHAKRABORTY S, AVTAR R, RAJ R, HUYNH VUONG THU MINH. 2019. Village level provisioning ecosystem services and their values to local communities in the peri-urban areas of Manila, The Philippines. *Land*. 8 (12): 177. DOI: <https://doi.org/10.3390/land8120177>
- CHHETRI N. 2021. Vulnerabilities of coastal and inland fisheries to climate change: assessing adaptation policy to improve resiliency of social ecological system of Bangladesh. In: ULLAH

- R, SHARMA S, INOUE M, ASGHAR S, SHIVAKOTI G, editors. Natural resource governance in Asia. Elsevier. p. 255-270. DOI: <https://doi.org/10.1016/B978-0-323-85729-1.00018-9>
- COLEMAN JL, ASCHER JS, BICKFORD D, BUCHORI D, CABANBAN A, CHISHOLM RA, CHONG KY, CHRISTIE P, CLEMENTS GR, DE LA CRUZ T. 2019. Top 100 research questions for biodiversity conservation in Southeast Asia. *Biol Conserv.* 234: 211-220.
- CRAWFORD B, KASMIDI M, KOROMPIS F, POLLNAC RB. 2006. Factors influencing progress in establishing community-based marine protected areas in Indonesia. *Coast Manage.* 34 (1): 39-64.
- D'AGATA S, MAINA JM. 2022. Climate change reduces the conservation benefits of tropical coastal ecosystems. *One Earth.* 5 (11): 1228-1238.
- EDWARDS DM, COLLINS TM, GOTO R. 2016. An arts-led dialogue to elicit shared, plural and cultural values of ecosystems. *Ecosys Serv.* 21: 319-328.
- FANG J, LIU W, YANG S, BROWN S, NICHOLLS RJ, HINKEL J, SHI X, SHI P. 2017. Spatial-temporal changes of coastal and marine disasters risks and impacts in Mainland China. *Ocean Coast Manage.* 139: 125-140.
- FEIST SE, HOQUE MA, ISLAM MA, AHMED KM, FOWLER M. 2021. Recent trends in inland water level change in coastal Bangladesh-implications of sea level rise in low-lying deltas. *Global Planet Change.* 206: 103639.
- GLASER M, BAITONINGSIH W, FERSE SC, NEIL M, DESWANDI R. 2010. Whose sustainability? Top-down participation and emergent rules in marine protected area management in Indonesia. *Mar Policy.* 34 (6): 1215-1225.
- GONG X, SUI L, MORTON J, BRENNAN MA, BRENNAN CS. 2021. Investigation of nutritional and functional effects of rice bran protein hydrolysates by using Preferred Reporting Items for Systematic Reviews and Meta-Analysis (PRISMA) guidelines: a review. *Trends Food Sci Technol.* 110: 798-811.
- GRUBB M, OKEREKE C, ARIMA J, BOSETTI V, CHEN Y, EDMONDS J, GUPTA S, KOBERLE A, MALIK A, SULISTIAWATI L, et al. 2022. Introduction and framing. In: SHUKLA PR, SKEA J, SLADE R, AL KHOURDAJIE A, VAN DIEMEN R, MCCOLLUM D, PATHAK M, SOME S, VYAS P, FRADERA R, et al., editors. *Climate change 2022. Mitigation of climate change. Working Group III Contribution to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change.* IPCC Intergovernmental Panel on Climate Change. p. 151-213. DOI: <https://doi.org/10.1017/9781009157926.003>
- HAMID AIA, DIN AHM, HWANG C, KHALID NF, TUGI A, OMAR KM. 2018. Contemporary sea level rise rates around Malaysia: altimeter data optimization for assessing coastal impact. *J Asian Earth Sci.* 166: 247-259.
- HJERPE M, GLAAS E. 2012. Evolving local climate adaptation strategies: incorporating influences of socio-economic stress. *Mitigation Adap Strat Global Change.* 17: 471-486.
- [HLPE] HIGH LEVEL PANEL OF EXPERTS. 2020. Food security and nutrition: building a global narrative towards 2030. Report 15. Rome: HLPE and CFS Committee on World Food Security. 91 p.
- HOANG HD, MOMTAZ S, SCHREIDER M. 2020. Assessing the vulnerability of small-scale fishery communities in the estuarine areas of Central Vietnam in the context of increasing climate risks. *Ocean Coast Manage.* 196: 105302.
- HOSSAIN AA, MAHDI GMA, PRAMANIK MMH. 2023. Understanding the challenges of the hilsa fishing community in Bangladesh: the river of life. *J Sustainability Environ Manage.* 2 (2): 115-125.
- [IPCC] INTERGOVERNMENTAL PANEL ON CLIMATE CHANGE. 2022. Summary for policymakers: In: PÖRTNER H-O, ROBERTS DC, POLOCZANSKA ES, MINTENBECK K, TIGNOR M, ALEGRÍA A, CRAIG M, LANGSDORF S, LÖSCHKE S, MÖLLER V, et al., editors. *Climate change 2022. Impacts, adaptation and vulnerability. Working*

- Group II Contribution to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change. IPCC. p. 3-33. DOI: <https://doi.org/10.1017/9781009325844.001>
- ISLAM MM, NAHIDUZZAMAN M, WAHAB MA. 2020. Fisheries co-management in hilsa shad sanctuaries of Bangladesh: early experiences and implementation challenges. *Mar Policy*. 117: 103955.
- JACINTO MR, SONGCUAN AJG, YIP GV, SANTOS MD. 2015. Development and application of the fisheries vulnerability assessment tool (Fish Vool) to tuna and sardine sectors in the Philippines. *Fish Res*. 161: 174-181. DOI: <https://doi.org/10.1016/j.fishres.2014.07.007>
- JOAKIM EP, MORTSCH L, OULAHEN G. 2015. Using vulnerability and resilience concepts to advance climate change adaptation. *Environ Hazards*. 14 (2): 137-155.
- KELLY PM, LIEN TV, HIEN HM, NINH NH, ADGER WN. 2012. Managing environmental change in Vietnam. In: ADGER WN, KELLY PM, NINH NH, editors. *Living with environmental change*. London: Routledge. p. 35-58.
- KHAN AS, KUMAR MS, CHELLA RS. 2022. Risk communication and capacity-building: a case study on framing CBA strategies of artisanal fishing communities to sea-level rise using BASIEC. *Clim Serv*. 26: 100299.
- KISS R, DEÁK B, TÖRÖK P, TÓTHMÉRÉSZ B, VALKÓ O. 2018. Grassland seed bank and community resilience in a changing climate. *Restor Ecol*. 26: 141-150.
- KOLDING J, BÉNÉ C, BAVINCK M. 2014. Small-scale fisheries: importance, vulnerability and deficient knowledge. In: GARCIA S, RICE J, CHARLES A, editors. *Governance for marine fisheries and biodiversity conservation. Interaction and coevolution*. Wiley-Blackwell. p. 317-331.
- LAVIDES MN, MOLINA EPV, DE LA ROSA GE, MILL AC, RUSHTON SP, STEAD SM, POLUNIN NVC. 2016. Patterns of Coral-Reef Finfish Species Disappearances Inferred from Fishers' Knowledge in Global Epicentre of Marine Shorefish Diversity. *PLoS ONE*. 11 (5): e0155752.
- LIU J-M, BORAZON EQ, MUÑOZ KE. 2021. Critical problems associated with climate change: a systematic review and meta-analysis of Philippine fisheries research. *Environ Sci Pollut Res*. 28 (36): 49425-49433.
- MACUSI ED, CAMASO KL, BARBOZA A, MACUSI ES. 2021a. Perceived vulnerability and climate change impacts on small-scale fisheries in Davao gulf, Philippines. *Front Mar Sci*. 8: 773. DOI: <https://doi.org/10.3389/fmars.2021.597385>
- MACUSI ED, DIAMPON DO, MACUSI ES. 2023. Understanding vulnerability and building resilience in small-scale fisheries: the case of Davao Gulf, Philippines. *Clim Policy*. DOI: <https://doi.org/10.1080/14693062.2023.2261889>
- MACUSI ED, ESTOR DEP, BORAZON EQ, CLAPANO MB, SANTOS MD. 2022. Environmental and socioeconomic impacts of shrimp farming in the Philippines: a critical analysis using PRISMA. *Sustainability*. 14 (5): 2977.
- MACUSI ED, GERONIMO RC, SANTOS MD. 2021b. Vulnerability drivers for small pelagics and milkfish aquaculture value chain determined through online participatory approach. *Mar Policy*. 133: 104710.
- MARKPHOL A, KITTITORNKOOL J, ARMITAGE D, CHOTIKARN P. 2021. An integrative approach to planning for community-based adaptation to sea-level rise in Thailand. *Ocean Coast Manage*. 212: 105846.
- MCCLANAHAN T, ALLISON EH, CINNER JE. 2015. Managing fisheries for human and food security. *Fish Fish*. 16 (1): 78-103.
- MEILIANDA E, PRADHAN B, COMFORT LK, ALFIAN D, JUANDA R, SYAHREZA S, MUNADI K. 2019. Assessment of post-tsunami disaster land use/land cover change and potential impact of future sea-level rise to low-lying coastal areas: a case study of Banda Aceh coast of Indonesia. *Int J Disaster Risk Red*. 41: 101292.
- MOHER D, LIBERATI A, TETZLAFF J, ALTMAN DG.

2009. Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement. *PLoS Med.* 6 (7): e1000097.
- MOZUMDER M. 2020. Socio-ecological resilience of a small-scale hilsa shad (*Tenualosa ilisha*) fishery in the gangetic river systems of Bangladesh [PhD dissertation]. University of Helsinki.
- MURINGAI RT, MAFONGOYA P, LOTTERING RT, MUGANDANI R, NAIDOO D. 2021. Unlocking the potential of fish to improve food and nutrition security in sub-Saharan Africa. *Sustainability.* 14 (1): 318.
- NABUURI G-J, MARBET R, ABU HATAB A, BUSTAMANTE M, CLARK H, HAVLIK P, HOUSE J, MBOW C, NINAN KN, POPP A, et al. 2022. Agriculture, forestry and other land uses (AFOLU). In: SHUKLA PR, SKEA J, SLADE R, AL KHOURDAJIE A, VAN DIEMEN R, MCCOLLUM D, PATHAK M, SOME S, VYAS P, FRADERA R, editors. *Climate change 2022. Mitigation of climate change. Working Group III Contribution of to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change.* IPCC Intergovernmental Panel on Climate Change. p. 747-860. DOI: <https://doi.org/10.1017/9781009157926.009>
- NARENDRA BH, SIREGAR CA, DHARMAWAN IWS, SUKMANA A, PRATIWI, PRAMONO IB, BASUKI TM, NUGROHO HYSH, SUPANGAT AB, YUWATI TW, et al. 2021. A review on sustainability of watershed management in Indonesia. *Sustainability.* 13 (19): 11125.
- NGUYEN-HUY T, KATH J, NAGLER T, KHAUNG Y, AUNG TSS, MUSHTAQ S, MARCUSSEN T, STONE R. 2022. A satellite-based Standardized Antecedent Precipitation Index (SAPI) for mapping extreme rainfall risk in Myanmar. *Remote Sens Appl Soc Environ.* 26: 100733.
- NONG D. 2019. Potential economic impacts of global wild catch fishery decline in Southeast Asia and South America. *Econ Anal Pol.* 62: 213-226.
- O'BRIEN K, LEICHENKO R, KELKAR U, VENEMA H, AANDAHL G, TOMPKINS H, JAVED A, BHADWAL S, BARG S, NYGAARD L. 2004. Mapping vulnerability to multiple stressors: climate change and globalization in India. *Global Environ Change.* 14 (4): 303-313.
- OJEDA-RUIZ MÁ, PETATÁN-RAMÍREZ D, GUERRERO-IZQUIERDO T, SALVADEO C. 2022. Rapid vulnerability assessment of Pacific sardine (*Sardinops sagax*) fisheries facing climate change in Mexico. *Prog Oceanogr.* 206: 102826.
- PACHAURI RK, ALLEN MR, BARROS VR, BROOME J, CRAMER W, CHRIST R, CHURCH JA, CLARKE L, DAHE Q, DASGUPTA P. 2014. In: CORE WRITING TEAM, PACHAURI RK, MEYER LA, editors. *Climate change 2014: synthesis report. Contribution of Working Groups I, II and III to the fifth assessment report of the Intergovernmental Panel on Climate Change.* Geneva: IPCC Intergovernmental Panel on Climate Change. 151 p.
- PAGULAYAN III SV, MACUSI ES, NALLOS IM. 2024. Vulnerability, adaptation and resilience to climate change of upland farming communities in Davao Oriental, Philippines. *Davao Res J.* 15 (1): 104-115. DOI: <https://doi.org/10.59120/drj.v15i1.191>
- RAJ R, TRIPATHI JK, KUMAR P, SINGH SK, PHARTIYAL B, SHARMA A, SRIDHAR A, CHAMYAL LS. 2021. Palaeoclimatic and sea-level fluctuations from the last deglaciation to late Holocene from western India: evidence from multiproxy studies. *J Asian Earth Sci.* 214: 104777.
- RAMBALDI G, BUGNA S, GEIGER M. 2001. Review of the protected area system of Vietnam. *ASEAN Biodivers.* 1 (4): 43-51.
- RIBOT J. 2013. Vulnerability does not just fall from the sky: toward multi-scale pro-poor climate policy. In: REDCLIFT MR, GRASSO M, editors. *Handbook on climate change and human security.* Cheltenham: Edward Elgar. p. 164-199.
- ROY B, PENHA-LOPES GP, UDDIN MS, KABIR MH, LOURENÇO TC, TORREJANO A. 2022. Sea level rise induced impacts on coastal areas of Bangladesh and local-led community-based adaptation. *Int J Disaster Risk Red.* 73: 102905.
- SANTOS MD, DICKSON JO, VELASCO PL. 2011. Mitigating the impacts of climate change: Philip-

- pine fisheries in focus. *Fish for the People*. 9 (2): 101-110.
- SEBESVARI Z, LE TTH, RENAUD FG. 2011. Climate change adaptation and agrichemicals in the Mekong Delta, Vietnam. In: STEWART MA, COCLANIS PA, editors. *Environmental Change and Agricultural Sustainability in the Mekong Delta*. Advances in global change research. 45. Dordrecht: Springer. p. 219-239.
- SEN S, NIELSEN JR. 1996. Fisheries co-management: a comparative analysis. *Mar Policy*. 20 (5): 405-418.
- SNILSTVEIT B, OLIVER S, VOJTKOVA M. 2012. Narrative approaches to systematic review and synthesis of evidence for international development policy and practice. *J Develop Effect*. 4 (3): 409-429.
- SPANINKS F, BEUKERING PV. 1997. Economic valuation of mangrove ecosystems: potential and limitations. London: International Institute for Environment and Development. 53 p.
- STEPHENSON RL, PAUL S, WIBER M, ANGEL E, BENSON AJ, CHARLES A, CHOUINARD O, CLEMENS M, EDWARDS D, FOLEY P, et al. 2018. Evaluating and implementing social-ecological systems: a comprehensive approach to sustainable fisheries. *Fish Fish*. 19 (5): 853-873.
- SURESH KP, NAYAK A, DHANZE H, BHAVYA AP, SHIVAMALLU C, ACHAR RR, SILINA E, STUPIN V, BARMAN NN, KUMAR SK, et al. 2022. Prevalence of Japanese encephalitis (JE) virus in mosquitoes and animals of the Asian continent: a systematic review and meta-analysis. *J Infect Public Health*. 15 (9): 942-949.
- VAN ECK NJ, WALTMAN L. 2010. Software survey: VOSviewer, a computer program for bibliometric mapping. *Scientometrics*. 84 (2): 523-538.
- VELMURUGAN A, ROY SD, DAGAR JC, SWARNAM TP, JAISANKAR I. 2016. Innovative technologies to sustain saline island agriculture in the scenario of climate change: a case study from Andaman Islands, India. In: DAGAR J, SHARMA P, SHARMA D, SINGH A, editors. *Innovative saline agriculture*. New Delhi: Springer, p. 387-417.
- VERON JE, DEVANTIER LM, TURAK E, GREEN AL, KININMONTH S, STAFFORD-SMITH M, PETERSON N. 2011. The coral triangle. In: DUBINSKY Z, STAMBLER N, editors. *Coral reefs: an ecosystem in transition*. Dordrecht: Springer. p. 47-55.
- VILLASANTE S, MACHO G, SILVA MRO, LOPES PFM, PITA P, SIMÓN A, BALSAL JCM, OLABARRIA C, VÁZQUEZ E CALVO N. 2022. Resilience and social adaptation to climate change impacts in small-scale fisheries. *Front Mar Sci*. 9: 802762. DOI: <https://doi.org/10.3389/fmars.2022.802762>
- WEATHERDON LV, MAGNAN AK, ROGERS AD, SUMAILA UR, CHEUNG WW. 2016. Observed and projected impacts of climate change on marine fisheries, aquaculture, coastal tourism, and human health: an update. *Front Mar Sci*. 3: 48.
- WEEKS J, HARRISON B. 2020. Review of sea level rise science, information and services in Pakistan. Technical Report. Exeter: Met Office. 47 p.
- WHITE AT, EISMA-OSORIO RL, GREEN SJ. 2005. Integrated coastal management and marine protected areas: Complementarity in the Philippines. *Ocean Coast Manage*. 48 (11-12): 948-971.
- WHITE AT, ALIÑO PM, MENESES ABT. 2006. Creating and managing marine protected areas in the Philippines. Cebu City: Fisheries Improved for Sustainable Harvest Project, Coastal Conservation and Education Foundation Inc. Marine Science Institute, University of the Philippines.
- WORM B, LOTZE HK. 2021. Marine biodiversity and climate change. In: LETCHER T, editor. *Climate change: observed impacts on Planet Earth*. Elsevier. p. 445-464.
- ZHANG L, LI YANG, CHAPMAN CA, PERES CA, LEE TM, FAN P-F. 2023. Growing disparity in global conservation research capacity and its impact on biodiversity conservation. *One Earth*. 6: 1-11.
- ZIERVOGEL G, ERICKSEN P. 2010. Adapting climate change to sustain food security. *WIREs Clim Change*. 1 (4): 525-540.